



demaree inflatable boats, inc.

Catalog of Spare Parts

Repair Materials and Spare Parts

Our spare parts and repair materials are right out of the inventory of materials we use to fabricate our boats so you can be sure of the same high quality parts as we put into our boats. If you don't see an item you want in our catalog, give us a call—we may have it. Consult our price list at <http://dibboats.com> for current prices.

Custom Fabrication

These items are priced based upon the quantity ordered and the specifications. Listed below are several products you may be interested in.

- Waterproof bags—12" & 15" diameter bags. See page 7 for details and prices.
- Cross tube bladders and disc end cross tubes—10" to 36" diameter by any length.
- Roller tubes—any diameter and length, move big boats easily with several roller tubes.
- Logos and numbers—increase outfitter identification and track your fleet more easily. Ask about our new "inlaid" method for logo and number patches.

Our terms are net 30 days from shipping date subject to credit approval (otherwise credit card, COD, or prepaid). Orders under \$50.00 may be shipped COD. Prices subject to change without notice. (Please make payment in U.S. dollars drawn on a U.S. bank.) Shipping is FOB Friendsville, MD. We ship via United Parcel Service (UPS) ground unless otherwise requested.


Sales Tax Policy: We are required to collect Maryland sales tax (5%) on all items picked up at our plant or shipped in Maryland, unless your company has a valid Sales Tax Exemption Certificate on file with us.

inflatables for industry

410 oak street • box 307, friendsville, maryland 21531 • phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
email: dib@gcnetmail.net • <http://dibboats.com>

FABRICS

All our coated fabrics and gum sheets conform to military specification Mil-C-17415 or Mil-C-14505. **Please specify cured or uncured.**



Nylon cloth coated with neoprene rubber, black or painted:

FN24	24 ounce (per square yard), 48" width
FN30	30 ounce (per square yard), 60" width
FN44	44 ounce (per square yard), 60" width
FN60	60 ounce (per square yard), 60" width

Please note—We stock all our neoprene fabrics in the uncured state and cure each item to order. The cost of curing is included in the prices listed.

FABRIC/PAINT COLORS: SILVER LT. BLUE MED. GRAY WHITE YELLOW DK. GRAY BLACK

Nylon cloth coated with neoprene interior and hypalon* exterior:

FH41GC	41 ounce (per square yard), 60" width, black/gray
FH41OC	41 ounce (per square yard), 60" width, black/orange

Gum rubber tapes and sheeting (for abrasion pads):

GN01	Gum tape, 1" width, black, neoprene
GN02	2" width, black, neoprene
GN12	Gum sheet, 12" width, black, neoprene
GN20	20" width, black
GH12	12" width, colored (see below), hypalon*

**Pricing
by the
foot.**

12" GUM COLORS: RED LT. BLUE WHITE MED. GRAY YELLOW DK. GRAY ORANGE

*Hypalon is a registered trademark of the Dupont Company.

Vee tapes:

Vee tapes—narrow fabric cut on the bias—are available in black fabrics, approximately 84 inches per piece in length. We usually sell these tapes in 30 ounce and 44 ounce fabrics. Typically, we cut the fabric into 2", 3", 4", and 6" widths, but we can cut other weight fabrics or different widths to suit your requirements.



inflatables for industry

410 oak street • box 307, friendsville, maryland 21531
phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
email: dib@gcnetmail.net • http://dibboats.com

CEMENTS



SCA101B004	Neoprene cement, neutral (Field repair cement — 2 part)	(4 ounces)
SCA101B032		(quart)
SCA101B128		(gallon)
SCA101B640		(5 gallons)



SCA102B002	Accelerator for neoprene cement	(2 ounces)
SCA102B004		(4 ounces)

SCA103B032	DIB-011 cement, neutral (This one part cement has an aggressive bite and a short shelf life.)	(quart)
SCA103B128		(1 gallon)
SCA103B640		(5 gallons)



SOLVENT AND PAINT

SCS120B008	Toluene solvent	(8 ounces)
SCS120B032	Toluene solvent	(quart)
SCS120B128	Toluene solvent	(gallon)



SCP201B004	Hypalon* paint	(4 ounces)
SCP201B032	Hypalon* paint	(quart)
SCP201B128	Hypalon* paint	(gallon)
SCP201B640	Hypalon* paint	(5 gallons)

SCL171B032	Latex sealant, non-flammable (water based—do not freeze)	(quart)
SCL171B128		(gallon)

* (see page 2 for paint colors)

Surcharges for flammable liquids will be added to the freight cost. D.O.T. regulations require specific containers be used for shipping flammable liquids. Our prices include these packaging costs.

Rates are subject to change by the carriers.

Enclosed with every flammable package are Material Safety Data Sheets.



inflatables for industry

410 oak street • box 307, friendsville, maryland 21531
 phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
 email: dib@gcnetmail.net • http://dibboats.com

VALVES AND ACCESSORIES



VM-B-51210

Topping valve, aluminum

This valve is used in all our military RIB sponsons and our rescue craft. It is a spring operated valve which has a depress and twist feature for "Hold Open Position."



VM-A-51219-N

Topping valve adaptor, nylon, 1/4 NPT

This adaptor is used with the VM-B-51210 valve. The 1/4 NPT will fit our air guage and is useful for connecting to a high pressure air line for inflation.



VM-B-51019

3.5 psi used in RIB tubes

This pressure relief valve is used in our military RIB sponsons, rescue craft, and inflatable floors on some river boats. It is produced in several pressure ranges.

VM-B-51019-4

2.6 psi used in lift bags and floors



VM-B-51025

Valve wrench, plastic

This wrench fits the VM-B-51210 and VM-B-51019 valves.



VS-SG9062

Recessed base, rubber

This is a recessed neoprene base (boot) used for the VM-B-51210 and VM-B-51019 valves.



VM-B-51006-N

Flat base, rubber

This is a flat neoprene base (boot) used for the VM-B-51210 and VM-B-51019 valves.



VM-A-53076
and
VS-TVD-6

Topping valve, brass (nickel plated)

The valve is used in our river boats, our work boats, and most of our pontoons. It is easily removed from the base by unscrewing. Always use anti-sieze compound when installing.



VM-A-53068

Recessed base, neoprene

This neoprene base (boot) is used with the VM-A-53076 valve and features long internal nubs. The nubs protect the valve when it is in the open position and the boat is deflated.



VS-FIF-1

Flat base, neoprene

This neoprene base (boot) is also used with the VM-A-53076 valve. It is primarily used in inflatable floors.



inflatables for industry

410 oak street • box 307, friendsville, maryland 21531
phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
email: dib@gcnetmail.net • <http://dibboats.com>



VD-VW

Valve wrench, galvanized

This valve wrench fits the VM-A-53076 valves.



VS-TIA-2

Topping valve adaptor, plastic, 1/4 NPT

This adaptor fits the VM-A-53076 valve and is used with an air gauge or a high pressure air line for inflation. It has 1/4 NPT female threads.



VM-A-51232

Topping valve adaptor, aluminum, 3/4" hose barb

VS-TIA-3

Topping valve adaptor, plastic, 3/4" hose barb

D RING PATCHES AND MISCELLANEOUS ASSEMBLIES



SDR1513

Small — 1.5" stainless steel D ring, 6" diameter patch, black



SDR2005

Medium — 2" stainless steel D ring, 8" x 12" patch, black



SDR4009

Large — 4" stainless steel D ring, 10" x 13" patch, black



SHDL106

Webbing handle, 1.75" webbing, 5" x 11" patch, black



SFS101

Foot stirrup, enclosed style, black



FN30DRR8

Reinforcing ring (fabric) for valve bases

Please specify 30 or 60 oz. fabric

**Colored assemblies available — see page 2 for available paint colors.
These assemblies have a gum sheet backing for easier buffing.**



inflatables for industry

410 oak street • box 307, friendsville, maryland 21531
phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
email: dib@gcnetmail.net • <http://dibboats.com>

RIGGING STRAPS, SEWN



- STR111 Loop strap, 1.75" width (used w/drag link connector in our Pontoon tubes)
- STR112 1" webbing strap w/1" Ancra camlock buckle, 2500# test webbing, black, 2'
- STR113 1.75" webbing strap w/2" stainless steel buckle, 7000# test webbing, black, 3'

BUCKLES

- HL175S Drag link (connector used with loop strap), stainless steel
- HC100P Camlock buckle, 1", plated
- HS200S Slide buckle, 2", stainless steel

NYLON WEBBINGS




- W100T17 1" width, 2500# test, Mil-W-27265, T17, condition R, black
- W175T13R 1.75" width, 7000# test, Mil-W-27265, T13, condition R, black

PUMPS, INFLATORS, AND GAUGES



- HA-1110 Barrel pump, military spec, w/hose and valve adaptor
- HA-1703 Foot pump with hose barb adaptor
- VP-G22699 Air gauge, 0-10 PSI, w/adaptor



REPAIR TOOLS



- HS-42-616 Field repair tool (all metal), stitcher/scratcher
- HS-42-615 1/4" width metal stitcher (roller) w/wooden handle
- HS-42-601 1 1/2" width metal stitcher (roller) w/wooden handle
- HD-84-025 Cement dispenser (screw top can with brush in lid), 1 quart



inflatables for industry

410 oak street • box 307, friendsville, maryland 21531
phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
email: dib@gcnetmail.net • http://dibboats.com

REPAIR TOOLS



- HD-84-029 Replacement brush/lid assembly
 MG-37/145 Gloves, nitrile (not latex), sizes 7, 8, 9 or 10
 MP-PEN Marking pen
 MT-TALC Talc, 50 pound bag
 GR5B Grommets, 9/16" hole, spurred, brass
- Repair kit box (water resistant), plastic ammo can, green:

- PB005 Small—13 1/2"x7 1/2"x6"
 PB004 Large—13 1/2"x7 1/2"x11"

COMMERCIAL WATERPROOF BAGS

Demaree Inflatable Boats fabricates waterproof bags in both cylindrical and rectangular shapes. All of our bags feature a crimped, roll-down closure with webbing straps fastened through buckles or camlocks. Each bag has a D ring or a webbing handle for carrying and lashing.

We assemble all bags from the same materials that go into our boats, ranging in weight from 30 oz. to 60 oz. per square yard. After applying a layer of gum sheet to the bottom of each bag, we paint the bags, and then vulcanize them.

Many outfitters have us number and/or letter the bags. This helps your guests find their gear quickly, and makes tracking your bags easier. We apply gum logos prior to vulcanizing the bags. If you have a special logo you want us to quote, send us a sketch or your artwork. Please refer to our Color Availability sheet or page 2 for color choices.

We have standard sizes and shapes, but we also do custom bags. Send us your bag dimensions for a quotation. The following specs are for our most commonly manufactured bags.

Dimensions	Fabric
12" diameter x 27" height	30 oz.
15" diameter x 32" height	30 oz.
22" x 17"x 13" height	60 oz.



inflatables for industry

410 oak street • box 307, friendsville, maryland 21531
 phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
 email: dib@gcnetmail.net • http://dibboats.com



demaree inflatable boats, inc.

Business Hours: Monday-Friday, 8:00 a.m.-5:00 p.m., Eastern Time

**1-800-dib tube
342-8823**

Inflatables that work!



Made in the USA

inflatables for industry

410 oak street • box 307, friendsville, maryland 21531 • phone (301) 746-5815 • (800) 342-8823 • fax (301) 746-5019
email: dib@gcnetmail.net • <http://dibboats.com>