FABRICS

All our coated fabrics and gum sheets conform to military specification Mil-C-17415 or Mil-C-14505. **Please specify cured or uncured.**



Nylon cloth coated with neoprene rubber, black or painted:

FN24	24 ounce (per square yard), 48" width
FN30	30 ounce (per square yard), 60" width
FN44	44 ounce (per square yard), 60" width
FN60	60 ounce (per square yard), 60" width

Please note—We stock all our neoprene fabrics in the uncured state and cure each item to order. The cost of curing is included in the prices listed.

FABRIC/PAINT COLORS: SILVER LT. BLUE MED. GRAY WHITE YELLOW DK. GRAY BLACK

Nylon cloth coated with neoprene interior and hypalon* exterior:

FH41GC 41 ounce (per square yard), 60" width, black/gray

FH41OC 41 ounce (per square yard), 60" width, black/orange

Gum rubber tapes and sheeting (for abrasion pads):

GN01 Gum tape, 1" width, black, neoprene

GN02 2" width, black, neoprene

GN12 Gum sheet, 12" width, black, neoprene

GN20 20" width, black

GH12 12" width, colored (see below), hypalon*

Pricing by the foot.


12" GUM COLORS: RED LT. BLUE WHITE MED. GRAY YELLOW DK. GRAY ORANGE

*Hypalon is a registered trademark of the Dupont Company.

Vee tapes:

Vee tapes—narrow fabric cut on the bias—are available in black fabrics, approximately 84 inches per piece in length. We usually sell these tapes in 30 ounce and 44 ounce fabrics. Typically, we cut the fabric into 2", 3", 4", and 6" widths, but we can cut other weight fabrics or different widths to suit your requirements.





The valve is used in our river boats, our work boats, and most of our pontoons. It is easily removed from the base by unscrewing. Always use

anti-sieze compound when installing.

VM-A-53068 Recessed base, neoprene

> This neoprene base (boot) is used with the VM-A-53076 valve and features long internal nubs. The nubs protect the valve when it is in the

open position and the boat is deflated.

VS-FIF-1 Flat base, neoprene

This neoprene base (boot) is also used with the VM-A-53076 valve. It is

primarily used in inflatable floors.



inflatables for industry



VD-VW Valve wrench, galvanized

This valve wrench fits the VM-A-53076 valves.

VS-TIA-2

Topping valve adaptor, plastic, ¼ NPT

This adaptor fits the VM-A-53076 valve and is used with an air gauge or a high pressure air line for inflation. It has 1/4 NPT

female threads.

VM-A-51232 Topping valve adaptor, aluminum, ¾" hose barb

VS-TIA-3 Topping valve adaptor, plastic, ¾" hose barb

D RING PATCHES AND MISCELLANEOUS ASSEMBLIES



SDR1513

Small — 1.5" stainless steel D ring, 6" diameter patch, black



SDR2005

Medium — 2" stainless steel D ring, 8" x 12" patch, black



SDR4009

Large — 4" stainless steel D ring, 10" x 13" patch, black



SHDL106

Webbing handle, 1.75" webbing, $5" \times 11"$ patch, black



SFS101

Foot stirrup, enclosed style, black



FN30DRR8

Reinforcing ring (fabric) for valve bases

Please specify 30 or 60 oz. fabric

Colored assemblies available — see page 2 for available paint colors. These assemblies have a gum sheet backing for easier buffing.



inflatables for industry

REPAIR TOOLS



HD-84-029 Replacement brush/lid assembly

MG-37/145 Gloves, nitrile (not latex), sizes 7, 8, 9 or 10

MP-PEN Marking pen

MT-TALC Talc, 50 pound bag

GR5B Grommets, 9/16" hole, spurred, brass

Repair kit box (water resistant), plastic

ammo can, green:

PB005 Small—13½"x7½"x6"

PB004 Large—13½"x7½"x11"

COMMERCIAL WATERPROOF BAGS

Demaree Inflatable Boats fabricates waterproof bags in both cylindrical and rectangular shapes. All of our bags feature a crimped, roll-down closure with webbing straps fastened through buckles or camlocks. Each bag has a D ring or a webbing handle for carrying and lashing.

We assemble all bags from the same materials that go into our boats, ranging in weight from 30 oz. to 60 oz. per square yard. After applying a layer of gum sheet to the bottom of each bag, we paint the bags, and then vulcanize them.

Many outfitters have us number and/or letter the bags. This helps your guests find their gear quickly, and makes tracking your bags easier. We apply gum logos prior to vulcanizing the bags. If you have a special logo you want us to quote, send us a sketch or your artwork. Please refer to our Color Availability sheet or page 2 for color choices.

We have standard sizes and shapes, but we also do custom bags. Send us your bag dimensions for a quotation. The following specs are for our most commonly manufactured bags.

Dimensions	Fabric
12" diameter x 27" height	30 oz.
15" diameter x 32" height	30 oz.
22" x 17"x 13" height	60 oz.







inflatables for industry